

Test 2: Acupuncture Simple Cases

Questions:

1. A patient has no appetite, fatigue, and shortness of breath. What is the treatment?

- a ST-36 (zu san li), SP-3 (tai bai), BL-20 (pi shu), BL-13 (fei shu), LU-9 (tai yuan)
- b CV-22 (tian tu), BL-13 (fei shu), LU-7 (lie que), CV-12 (zhong wan), ST-36 (zu san li)
- c LU-7 (lie que), CV-17 (tian zhong), PC-6 (nei guan), BL-13 (fei shu), LU-9 (tai yuan)
- d ST-36 (zu san li), SP-3 (tai bai), BL-20 (pi shu), BL-21 (wei shu), CV-12 (zhong wan)

2. A patient has red cheeks, mental restlessness, throat dryness at night, hot sensations in the afternoon, and red-peeled tongue. What is the treatment?

- a GV-4 (ming men), KI-23 (shen feng), BL-15 (xin shu), SP-9 (yin ling quan) SP-6 (san yin jiao)
- b KI-6 (zhao hai), KI-9 (zhu bin), CV-4 (guan yuan), KI-2 (ran gu), HT-5 (tong li)
- c GV-4 (ming men), BL-23 (shen shu), SP-6 (san yin jiao), SP-9 (yin ling quan), KI-7 (fu liu)
- d CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)

3. A patient has epigastric fullness, sour regurgitation, and a thick tongue coating. What is the treatment?

- a CV-13 (shang wan), ST-21 (liang men), SP-4 (gong sun), PC-6 (nei guan), ST-44 (nei ting)
- b CV-15 (jiu wei), ST-21 (liang men), SP-4 (gong sun), PC-6 (nei guan), ST-44 (nei ting)
- c CV-13 (shang wan), ST-21 (liang men), SP-6 (san yin jiao), PC-6 (nei guan), ST-41 (jie xi)
- d CV-13 (shang wan), ST-21 (liang men), SP-4 (gong sun), PC-4 (xi men), ST-44 (nei ting)

4. A patient has high temperature, convulsions, and stiff tongue. What is the treatment?

- a LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)
- b LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), GV-16 (feng fu), KI-3 (tai xi)
- c LR-3 (tai chong), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)
- d LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)

5. A patient has edema in the ankles, palpitations, pale and swollen tongue, and deep-weak pulse. What is the treatment?

- a SP-6 (san yin jiao), SP-9 (yin ling quan), BL-22 (san jiao shu), CV-3 (zhong ji), BL-28 (pang guang shu)
- b CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)
- c GV-4 (ming men), BL-23 (shen shu), BL-15 (xin shu), SP-9 (yin ling quan) SP-6 (san yin jiao)
- HT-6 (yin xi), KI-7 (fu liu), CV-4 (guan yuan), SP-6 (san yin jiao), BL-15 (xin shu)

6. A patient has dry eyes, dry throat, night sweats, scanty menses, and red peeled tongue. What is the treatment?

- a GV-4 (ming men), BL-23 (shen shu), BL-15 (xin shu), SP-9 (yin ling quan) SP-6 (san yin jiao)
- b CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)
- c HT-6 (yin xi), KI-7 (fu liu), CV-4 (guan yuan), SP-6 (san yin jiao), BL-15 (xin shu)
- d LR-8 (qu quan), KI-3 (tai xi), BL-23 (shen shu), BL-18 (gan shu), CV-4 (guan yuan)

7. A patient has rash behavior, uncontrollable emotions, incoherent speech and red tongue with sticky-yellow coating. What is the treatment?

- a PC-5 (jian shi), PC-7 (da ling), HT-8 (shao fu), ST-40 (feng long), CV-12 (zhong wan)
- b PC-5 (jian shi), PC-6 (nei guan), BL-15 (xin shu), CV-17 (shan zhong), CV-6 (qi hai)
- c HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)
- d ST-40 (feng long), HT-7 (shen men), HT-5 (tong li), PC-6 (nei guan), CV-12 (zhong wan)

8. A patient has poor appetite, fatigue, and loose stools. What is the treatment?

- a ST-25 (tian shu), BL-25 (da chang shu), CV-4 (guan yuan), LI-4 (he gu)
- b CV-12 (zhong wan), ST-36 (zu san li), SP-3 (tai bai), SP-6 (san yin jiao), BL-20 (pi shu)
- c CV-12 (zhong wan), ST-36 (zu san li), SP-3 (tai bai), SP-9 (yin ling quan), BL-21 (wei shu)
- d CV-12 (zhong wan), ST-36 (zu san li), LU-9 (tai yuan), BL-13 (fei shu), BL-20 (pi shu)

9. A patient has alternating constipation and diarrhea, abdominal distention and pain. What is the treatment?

- a LR-13 (zhang men), GB-34 (yang ling quan), LR-3 (tai chong), ST-36 (zu san li), CV-12 (zhong wan)
- b BL-25 (da chang shu), ST-25 (tian shu), TB-6 (zhi gou), LI-4 (he gu), CV-12 (zhong wan)
- c BL-20 (pi shu), BL-21 (wei shu), ST-36 (zu san li), CV-12 (zhong wan), CV-6 (qi hai)
- d LR-14 (qi men), ST-36 (zu san li), CV-13 (shang wan), BL-21 (wei shu), GB-34 (yang ling quan)

10. A patient has palpitations, tiredness and an empty pulse. What is the treatment?

- a HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), CV-17 (shan zhong), CV-6 (qi hai)
- b HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)
- c HT-8 (shao fu), HT-7 (shen men), SP-6 (san yin jiao), KI-6 (zhao hai), CV-15 (jiu wei)
- d CV-6 (qi hai), CV-4 (guan yuan), GV-20 (bai hui), GV-14 (da zhui), BL-15 (xin shu) next question reset

11. A patient has tongue ulcers, thirst, palpitations and a red tongue. What is the treatment?

- a CV-6 (qi hai), CV-4 (guan yuan), GV-20 (bai hui), GV-14 (da zhui), BL-15 (xin shu)
- b HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), CV-17 (shan zhong), CV-6 (qi hai)
- c HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)
- d HT-8 (shao fu), HT-7 (shen men), SP-6 (san yin jiao), KI-6 (zhao hai), CV-15 (jiu wei)

12. A patient has stabbing pain in the epigastrium, vomiting dark blood. What is the treatment?

- a ST-36 (zu san li), CV-12 (zhong wan), BL-20 (pi shu), BL-21 (wei shu), CV-6 (qi hai)
- b CV-10 (xia wan), ST-21 (liang men), ST-34 (liang qiu), SP-10 (xue hai), BL-17 (ge shu)
- c CV-13 (shang wan), ST-21 (liang men), SP-4 (gong sun), PC-6 (nei guan), ST-44 (nei ting)
- d LR-14 (qi men), ST-36 (zu san li), CV-13 (shang wan), BL-21 (wei shu), GB-34 (yang ling quan) next

13. A patient has edema in the ankles, thin and watery-frothy sputum, pale and swollen tongue, and deep-weak pulse. What is the treatment?

- a KI-6 (zhao hai), KI-9 (zhu bin), CV-4 (guan yuan), KI-2 (ran gu), HT-5 (tong li)
- b GV-4 (ming men), BL-23 (shen shu), BL-15 (xin shu), SP-9 (yin ling quan) SP-6 (san yin jiao)
- c GV-4 (ming men), BL-23 (shen shu), SP-6 (san yin jiao), SP-9 (yin ling quan), KI-7 (fu liu)
- d CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)

14. A patient has chronic cough, profuse sputum, and thick-greasy white tongue coating. What is the treatment?

- a LU-5 (chi ze), LU-7 (lie que), ST-40 (feng long), BL-20 (pi shu), PC-6 (nei guan)
- b SP-6 (san yin jiao), SP-9 (yin ling quan), CV-9 (shui fen), BL-20 (pi shu), SP-5 (shang qiu)
- c LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), GV-12 (shen zhu)
- d LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), CV-9 (shui fen)

15. A patient has dry cough, dry throat, hoarse voice, dry (not red) tongue. What is the treatment?

- a LU-7 (lie que), LI-4 (he gu), LI-6 (pian li), BL-12 (feng men), CV-9 (shui fen)
- b LU-9 (tai yuan), KI-6 (zhao hai), CV-4 (guan yuan), SP-6 (san yin jiao), CV-12 (zhong wan)
- c ST-36 (zu san li), SP-3 (tai bai), BL-20 (pi shu), BL-13 (fei shu), LU-9 (tai yuan)
- d ST-36 (zu san li), SP-6 (san yin jiao), SP-9 (yin ling quan), BL-13 (fei shu), LU-9 (tai yuan)

16. A patient has belching, sour regurgitation, irritability, and distention in the epigastric and hypochondriac areas. What is the treatment?

- a ST-36 (zu san li), CV-12 (zhong wan), BL-21 (wei shu), CV-6 (qi hai)
- b LR-14 (qi men), ST-36 (zu san li), CV-13 (shang wan), BL-21 (wei shu), GB-34 (yang ling quan)
- c ST-21 (liang men), SP-4 (gong sun), CV-13 (shang wan), ST-34 (liang qiu)
- d CV-10 (xia wan), ST-21 (liang men), ST-34 (liang qiu), SP-10 (xue hai), BL-17 (ge shu)

17. A patient has dryness of mouth at night, night sweats, and a red tongue without any coating. What is the treatment?

- a CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)
- b HT-6 (yin xi), KI-7 (fu liu), CV-4 (guan yuan), SP-6 (san yin jiao), BL-15 (xin shu)
- c CV-4 (guan yuan), HT-5 (tong li), KI-6 (zhao hai), SP-6 (san yin jiao), BL-15 (xin shu)
- d LR-8 (qu quan), KI-3 (tai xi), BL-23 (shen shu), BL-18 (gan shu), CV-4 (guan yuan)

18. A patient has abdominal pain, diarrhea with blood and mucus in the stools. What is the treatment?

- a SP-6 (san yin jiao), SP-9 (yin ling quan), ST-25 (tian shu), BL-17 (ge shu), ST-37 (shang ju xu)
- b ST-25 (tian shu), CV-6 (qi hai), ST-36 (zu san li), ST-37 (shang ju xu), BL-20 (pi shu)
- c ST-25 (tian shu), CV-6 (qi hai), ST-36 (zu san li), BL-21 (wei shu)
- d CV-4 (guan yuan), LI-11 (qu chi), ST-37 (shang ju xu), CV-12 (zhong wan), SP-6 (san yin jiao)

19. A patient has acute edema of the face, aversion to wind, and a superficial-slippery pulse. What is the treatment?

- a ST-36 (zu san li), SP-3 (tai bai), BL-20 (pi shu), BL-13 (fei shu), LU-9 (tai yuan)
- b LU-7 (lie que), LI-4 (he gu), LI-6 (pian li), BL-12 (feng men), CV-9 (shui fen)
- c ST-36 (zu san li), SP-6 (san yin jiao), SP-9 (yin ling quan), BL-13 (fei shu), LU-9 (tai yuan)
- d LU-9 (tai yuan), KI-6 (zhao hai), CV-4 (guan yuan), SP-6 (san yin jiao), CV-12 (zhong wan)

20. A patient has hypogastric pain, pain referring to the genitals which is improved with warmth, and a deep-wiry pulse. What is the treatment?

- a CV-6 (qi hai), LR-5 (li gou), LR-1 (da dun)
- b CV-3 (zhong ji), LR-3 (tai chong), LR-1 (da dun)
- c CV-3 (zhong ji) (moxa), LR-5 (li gou), LR-1 (da dun)
- d LR-14 (qi men), LR-5 (li gou), LR-1 (da dun)

21. A patient has lower abdominal twisting pain which improves with flatulence, borborygmus, and deep-wiry pulse. What is the treatment?

- a BL-17 (ge shu), BL-21 (wei shu), BL-25 (da chang shu), BL-18 (dan shu), BL-19 (gan shu)
- b BL-21 (wei shu), BL-20 (pi shu), PC-6 (nei guan), LI-4 (he gu)
- c CV-6 (qi hai), GB-34 (yang ling quan), ST-27 (da ju), ST-39 (xia ju xu), SP-6 (san yin jiao)
- d ST-36 (zu san li), CV-12 (zhong wan), ST-25 (tian shu), SP-6 (san yin jiao)

22. A patient has palpitations, night sweats, tinnitus, insomnia, and red-peeled tongue with a midline crack. What is the treatment?

- a CV-4 (guan yuan), KI-3 (tai xi), KI-6 (zhao hai), SP-6 (san yin jiao), KI-10 (yin gu)
- b HT-6 (yin xi), KI-7 (fu liu), CV-4 (guan yuan), SP-6 (san yin jiao), BL-15 (xin shu)
- c GV-4 (ming men), BL-23 (shen shu), BL-15 (xin shu), SP-9 (yin ling quan), SP-6 (san yin jiao)

d LR-8 (qu quan), KI-3 (tai xi), BL-23 (shen shu), BL-18 (gan shu), CV-4 (guan yuan)

23. A patient has breathlessness, asthma, fullness in the hypochondriac area, headache, and wiry pulse. What is the treatment?

- a LU-9 (tai yuan), KI-6 (zhao hai), CV-4 (guan yuan), BL-13 (fei shu), CV-12 (zhong wan)
- b LU-5 (chi ze), LU-10 (yu ji), LU-7 (lie que), LR-3 (tai chong), ST-40 (feng long)
- c LU-5 (chi ze), LU-7 (lie que), LR-3 (tai chong), BL-20 (pi shu), PC-6 (nei guan)
- d LR-2 (xing jian), LU-7 (lie que), LR-14 (qi men), CV-17 (shan zhong), PC-6 (nei guan)

24. A patient has sudden unconsciousness, convulsions, deviation of eye and mouth. What is the treatment?

- a LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), GV-16 (feng fu), KI-3 (tai xi)
- b LR-3 (tai chong), GB-20 (feng chi), GB-38 (yang fu), SP-6 (san yin jiao), KI-3 (tai xi)
- c LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)
- d LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)

25. A patient has burning sensations in the epigastrium, thirsty with desire for cold drinks, and red tongue with thick yellow and dry coating, and full-deep-fast pulse. What is the treatment?

- a ST-21 (liang men), CV-13 (shang wan), ST-44 (nei ting), SP-6 (san yin jiao), PC-6 (nei guan)
- b PC-6 (nei guan), CV-12 (zhong wan), LI-11 (qu chi), SP-10 (xue hai), ST-40 (feng long)
- c BL-25 (da chang shu), LI-11 (qu chi), ST-37 (shang ju xu), ST-25 (tian shu), CV-12 (zhong wan)
- d CV-12 (zhong wan), LR-2 (xing jian), LR-14 (qi men), GB-34 (yang ling quan), BL-21 (wei shu)

26. A patient has shortness of breath during exertion, sweating, and clear urine. What is the treatment?

- a KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), ST-36 (zu san li), CV-17 (shan zhong)
- b PC-6 (nei guan), LU-7 (lie que), LU-5 (chi ze), BL-13 (fei shu), BL-23 (shen shu)
- c LU-9 (tai yuan), LU-7 (lie que), ST-36 (zu san li), CV-6 (qi hai), LU-1 (zhong fu)
- d LU-6 (kong zui), BL-13 (fei shu), GV-14 (da zhui), LI-4 (he gu), LU-7 (lie que)

27. A patient has timidity, sighing, and lack of courage. What is the treatment?

- a HT-5 (tong li)
- b ST-44 (nei ting)
- c PC-4 (xi men)
- d GB-40 (qiu xu)

28. A patient has palpitations, mental restlessness, feeling of heat, malar flush, and a peeled red tongue with a deep crack in the middle. What is the treatment?

- a HT-7 (shen men), PC-6 (nei guan), CV-14 (ju que), BL-17 (ge shu), BL-20 (pi shu)
- b HT-7 (shen men), PC-6 (nei guan), CV-4 (guan yuan), SP-6 (san yin jiao), KI-6 (zhao hai)
- c PC-6 (nei guan), PC-4 (xi men), CV-17 (shan zhong), HT-7 (shen men), SP-10 (xue hai)
- d HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)

29. A patient has abdominal pain improved with heat, borborygmus, and diarrhea. What is the treatment?

- a CV-6 (qi hai), ST-25 (tian shu), ST-39 (xia ju xu), BL-20 (pi shu), ST-36 (zu san li)
- b LR-3 (tai chong), SP-4 (gong sun), PC-6 (nei guan), GB-34 (yang ling quan), BL-21 (wei shu)
- c ST-44 (nei ting), CV-12 (zhong wan), LI-11 (qu chi), ST-25 (tian shu), ST-21 (liang men)
- d LI-4 (he gu), TB-6 (zhi gou), ST-25 (tian shu), BL-25 (da chang shu), CV-12 (zhong wan)

30. A patient has hypochondriac and chest distention, depression, moodiness, and wiry pulse. What

is the treatment?

- a GB-34 (yang ling quan), LR-3 (tai chong), BL-17 (ge shu), SP-10 (xue hai), BL-18 (gan shu)
- b GB-34 (yang ling quan), LR-3 (tai chong), PC-6 (nei guan), LR-14 (qi men), TB-6 (zhi gou)
- c LR-2 (xing jian), GB-20 (feng chi), LR-3 (tai chong), LI-11 (qu chi), GB-13 (ben shen)
- d GB-24 (ri yue), BL-19 (dan shu), GB-34 (yang ling quan), GV-9 (zhi yang), TB-6 (zhi gou)

31. A patient has chronic diarrhea and prolapsed anus. What is the treatment?

- a ST-36 (zu san li), SP-6 (san yin jiao), CV-4 (guan yuan), BL-25 (da chang shu), BL-23 (shen shu)
- b BL-20 (pi shu), BL-21 (wei shu), CV-12 (zhong wan), ST-25 (tian shu), LI-4 (he gu)
- c CV-6 (qi hai), GV-20 (bai hui), ST-25 (tian shu), BL-20 (pi shu), SP-3 (tai bai)
- d GV-1 (chang qiang), GV-20 (bai hui), moxa CV-8 (shen que), CV-12 (zhong wan)

32. A patient has sudden and violent abdominal pain, constipation, vomiting and deep-wiry pulse. What is the treatment?

- a LR-3 (tai chong), GB-34 (yang ling quan), LR-14 (qi men), GB-24 (ri yu)
- b BL-17 (ge shu), BL-21 (wei shu), BL-25 (da chang shu), BL-18 (dan shu), BL-19 (gan shu)
- c BL-17 (ge shu), SP-10 (xue hai), SP-6 (san yin jiao), SP-8 (di ji), ST-25 (da chang shu)
- d ST-39 (xia ju xu), CV-6 (qi hai), ST-25 (tian shu), SP-6 (san yin jiao)

33. A patient has dry stools, a burning sensation in the anus, and thick-dry-yellow tongue coating. What is the treatment?

- a CV-4 (guan yuan), LI-11 (qu chi), ST-37 (shang ju xu), ST-44 (nei ting), LI-2 (er jian), SP-6 (san yin jiao)
- b ST-40 (feng long), CV-12 (zhong wan), SP-6 (san yin jiao), SP-9 (yin ling quan), LI-11 (qu chi)
- c BL-20 (pi shu), BL-21 (wei shu), BL-25 (da chang shu), ST-37 (shang ju xu), GV-1 (chang qiang)
- d ST-36 (zu san li), KI-6 (zhao hai), KI-10 (yin gu), CV-4 (guan yuan), ST-25 (tian shu)

34. A patient has dry cough, hot sensations in the afternoon, and a peeled red tongue. What is the treatment?

- a LU-9 (tai yuan), BL-43 (gao huang shu), CV-4 (guan yuan), KI-6 (zhao hai), LU-10 (yu ji)
- b CV-9 (shui fen), ST-40 (feng long), CV-17 (shan zhong), LU-5 (chi ze), BL-13 (fei shu)
- c KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), ST-36 (zu san li), CV-17 (shan zhong)
- d LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), GV-12 (shen zhu)

35. A patient has palpitations, insomnia, poor memory and a pale tongue. What is the treatment?

- a PC-6 (nei guan), PC-4 (xi men), CV-17 (shan zhong), HT-7 (shen men), SP-10 (xue hai)
- b HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)
- c HT-7 (shen men), PC-6 (nei guan), CV-14 (ju que), BL-17 (ge shu), BL-20 (pi shu)
- d HT-7 (shen men), PC-6 (nei guan), CV-4 (guan yuan), SP-6 (san yin jiao), KI-6 (zhao hai)

36. A patient has palpitations, feeling cold, cold limbs and deep-weak pulse. What is the treatment?

- a PC-6 (nei guan), PC-4 (xi men), CV-17 (shan zhong), HT-7 (shen men), SP-10 (xue hai)
- b HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)
- c HT-7 (shen men), PC-6 (nei guan), CV-14 (ju que), BL-17 (ge shu), BL-20 (pi shu)
- d HT-7 (shen men), PC-6 (nei guan), CV-4 (guan yuan), SP-6 (san yin jiao), KI-6 (zaho hai)

37. A patient has dribbling after urination and nocturnal emissions without dreams. What is the treatment?

- a BL-23 (shen shu), GV-4 (ming men), KI-3 (tai xi), CV-4 (guan yuan), CV-6 (qi hai)
- b KI-3 (tai xi), KI-6 (zhao hai), CV-4 (guan yuan), KI-10 (yin gu), SP-6 (san yin jiao)

c BL-23 (shen shu), GV-4 (ming men), KI-3 (tai xi), CV-4 (guan yuan), BL-52 (zhi shi)
d KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), ST-36 (zu san li), CV-17 (shan zhong)

38. A patient has hypochondriac pain, bitter taste, and thick-greasy yellow coating on the right side. What is the treatment?

- a GB-24 (ri yue), BL-19 (dan shu), GB-34 (yang ling quan), GV-9 (zhi yang), TB-6 (zhi gou)
- b CV-12 (zhong wan), LR-13 (zhang men), GB-24 (ri yue), BL-20 (pi shu), SP-3 (tai bai)
- c ST-36 (zu san li), CV-12 (zhong wan), CV-6 (qi hai), BL-20 (pi shu), SP-6 (san yin jiao)
- d CV-12 (zhong wan), ST-40 (feng long), CV-9 (shui fen), SP-6 (san yin jiao), SP-9 (yin ling quan)

39. A patient has a cold back, profuse and clear urination, pale tongue, and a deep pulse. What is the treatment?

- a BL-23 (shen shu), GV-4 (ming men), KI-3 (tai xi), CV-4 (guan yuan), CV-6 (qi hai)
- b KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), ST-36 (zu san li), CV-17 (shan zhong)
- c BL-23 (shen shu), BL-28 (pang guang shu), KI-3 (tai xi), CV-3 (zhong ji), BL-52 (zhi shi)
- d KI-3 (tai xi), KI-6 (zhao hai), CV-4 (guan yuan), KI-10 (yin gu), SP-6 (san yin jiao)

40. A patient has dark and clotted menstrual blood, and purple tongue. What is the treatment?

- a GB-24 (ri yue), BL-19 (dan shu), GB-34 (yang ling quan), GV-9 (zhi yang), TB-6 (zhi gou)
- b LR-2 (xing jian), GB-20 (feng chi), LR-3 (tai chong), LI-11 (qu chi), GB-13 (ben shen)
- c GB-34 (yang ling quan), LR-3 (tai chong), BL-17 (ge shu), SP-10 (xue hai), BL-18 (gan shu)
- d GB-34 (yang ling quan), LR-3 (tai chong), PC-6 (nei guan), LR-14 (qi men), TB-6 (zhi gou)

41. A patient has epigastric pain, dry mouth, and peeled tongue in the central part and sometimes rootless coating in the central part. What is the treatment?

- a KI-6 (zhao hai), KI-3 (tai xi), CV-4 (guan yuan), CV-12 (zhong wan), ST-21 (liang men)
- b ST-36 (zu san li), CV-12 (zhong wan), SP-6 (san yin jiao), SP-3 (tai bai), ST-44 (nei ting)
- c CV-12 (zhong wan), ST-36 (zu san li), SP-4 (gong sun), PC-6 (nei guan)
- d BL-20 (pi shu), BL-21 (wei shu), BL-17 (ge shu), SP-6 (san yin jiao), ST-21 (liang men) next question reset

42. A patient has shortness of breath, weak voice, bright and white complexion, and empty pulse. What is the treatment?

- a CV-9 (shui fen), ST-40 (feng long), CV-17 (shang zhong), LU-5 (chi ze), BL-13 (fei shu)
- b KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), ST-36 (zu san li), CV-17 (shan zhong)
- c LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), GV-12 (shen zhu)
- d LU-9 (tai yuan), BL-43 (gao huang shu), CV-4 (guan yuan), KI-6 (zhao hai), LU-10 (yu ji)

43. A patient has dry stools which are difficult to pass and dryness in the throat and mouth. What is the treatment?

- a ST-25 (tian shu), TB-6 (zhi gou), BL-25 (da chang shu), LI-4 (he gu)
- b ST-36 (zu san li), CV-6 (qi hai), TB-6 (zhi gou), BL-25 (da chang shu)
- c LI-11 (qu chi), LI-4 (he gu), CV-4 (guan yuan), CV-12 (zhong wan),
- d ST-36 (zu san li), SP-6 (san yin jiao), KI-6 (zhao hai), CV-4 (guan yuan)

44. A patient has burning urination, difficult urination, and dark urine. What is the treatment?

- a SP-9 (yin ling quan), SP-6 (san yin jiao), GV-9 (zhi yang), LI-11 (qu chi), BL-28 (pang guang shu)
- b SP-6 (san yin jiao), SP-9 (yin ling quan), BL-22 (san jiao shu), BL-28 (pang guang shu), CV-3 (zhong ji)
- c BL-28 (pang guang shu), CV-6 (qi hai), CV-4 (guan yuan), KI-3 (tai xi), BL-23 (shen shu)
- d SP-6 (san yin jiao), BL-23 (shen shu), BL-28 (pang guang shu), CV-4 (guan yuan), SP-9 (yin ling)

quan),

45. A patient has dizziness, loose stools, scanty menses, and pale tongue. What is the treatment?

- a GV-20 (bai hui), GB-20 (feng chi), extra point yin tang, LR-3 (tai chong), BL-18 (gan shu)
- b ST-36 (zu san li), BL-20 (pi shu), SP-6 (san yin jiao), BL-18 (gan shu), BL-17 (ge shu)
- c BL-17 (ge shu), BL-18 (gan shu), SP-10 (xue hai), LR-3 (tai chong), GB-34 (yang ling quan)
- d BL-18 (gan shu), BL-13 (fei shu), BL-17 (ge shu), ST-36 (zu san li), SP-6 (san yin jiao)

46. A patient has irritability, red face, red eyes, and red tongue with yellow coating. What is the treatment?

- a GB-34 (yang ling quan), LR-3 (tai chong), BL-17 (ge shu), SP-10 (xue hai), BL-18 (gan shu)
- b LR-2 (xing jian), GB-20 (feng chi), LR-3 (tai chong), LI-11 (qu chi), GB-13 (ben shen)
- c GB-24 (ri yue), BL-19 (dan shu), GB-34 (yang ling quan), GV-9 (zhi yang), TB-6 (zhi gou)
- d GB-34 (yang ling quan), LR-3 (tai chong), PC-6 (nei guan), LR-14 (qi men), TB-6 (zhi gou)

47. A patient has discomfort in the epigastrium which improves after eating, fatigue, and cold limbs. What is the treatment?

- a ST-44 (nei ting), CV-12 (zhong wan), LI-11 (qu chi), ST-25 (tian shu), ST-21 (liang men)
- b ST-36 (zu san li), CV-12 (zhong wan), BL-20 (pi shu), BL-21 (wei shu), CV-6 (qi hai)
- c CV-6 (qi hai), ST-25 (tian shu), ST-39 (xia ju xu), BL-20 (pi shu), ST-36 (zu san li)
- d ST-36 (zu san li), CV-12 (zhong wan), SP-6 (san yin jiao), SP-3 (tai bai), ST-44 (nei ting)

48. A patient has stuffy epigastrium, hypochondriac distention, and thick greasy yellow coating. What is the treatment?

- a LR-3 (tai chong), LR-2 (xing jian), GB-34 (yang ling quan), BL-18 (gan shu), BL-19 (dan shu)
- b CV-12 (zhong wan), LR-13 (zhang men), GB-24 (ri yue), BL-20 (pi shu), SP-3 (tai bai)
- c CV-12 (zhong wan), ST-40 (feng long), CV-9 (shui fen), SP-6 (san yin jiao), SP-9 (yin ling quan)
- d ST-36 (zu san li), CV-12 (zhong wan), CV-6 (qi hai), BL-20 (pi shu), SP-6 (san yin jiao)

49. A patient has cyanosis of lips, cold limbs and hidden-minute pulse. What is the treatment?

- a HT-8 (shao fu), HT-7 (shen men), SP-6 (san yin jiao), KI-6 (zhao hai), CV-15 (jiu wei)
- b CV-6 (qi hai), CV-4 (guan yuan), GV-20 (bai hui), GV-14 (da zhui), BL-15 (xin shu)
- c PC-6 (nei guan), PC-4 (xi men), CV-17 (shan zhong), HT-7 (shen men), SP-10 (xue hai)
- d HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)

50. A patient has headache, irritability, wiry pulse, and tongue has red sides. What is the treatment?

- a LR-14 (qi men), GV-9 (zhi yang), LR-2 (xing jian), GB-34 (yang ling quan), GB-24 (ri yue)
- b LR-3 (tai chong), GB-20 (feng chi), GB-38 (yang fu), SP-6 (san yin jiao), KI-3 (tai xi)
- c LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)
- d LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)

51. A patient has sudden abdominal pain, diarrhea, and cold feelings. What is the treatment?

- a ST-25 (da chang shu), BL-23 (shen shu), KI-3 (tai xi), GV-4 (ming men), CV-6 (qi hai)
- b LI-11 (qu chi), LI-4 (he gu), SP-15 (da heng), TB-6 (zhi gou), SP-6 (san yin jiao)
- c SP-6 (san yin jiao), SP-9 (yin ling quan), ST-25 (tian shu), BL-17 (ge shu), ST-37 (shang ju xu)
- d ST-25 (tian shu), ST-36 (zu san li), ST-37 (shang ju xu), ST-27 (da ju), LR-3 (tai chong)

52. A patient has cough, thick greasy-yellow tongue coating, and fast-slippery pulse. What is the treatment?

- a LU-5 (chi ze), LU-10 (yu ji), LU-7 (lie que), CV-12 (zhong wan), ST-40 (feng long)

- b LU-9 (tai yuan), KI-6 (zhao hai), CV-4 (guan yuan), SP-6 (san yin jiao), CV-12 (zhong wan)
- c LU-9 (tai yuan), BL-43 (gao huang shu), CV-4 (guan yuan), KI-6 (zhao hai), LU-10 (yu ji)
- d CV-9 (shui fen), ST-40 (feng long), CV-17 (shang zhong), LU-5 (chi ze), BL-13 (fei shu)

53. A patient has fever, fullness in the hypochondriac area, nausea and a greasy yellow coating. What is the treatment?

- a LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)
- b LR-14 (qi men), GV-9 (zhi yang), LR-2 (xing jian), GB-34 (yang ling quan), GB-24 (ri yue)
- c LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)
- d LR-3 (tai chong), GB-20 (feng chi), GB-38 (yang fu), SP-6 (san yin jiao), KI-3 (tai xi)

54. A patient has bleeding, fine pulse and a pale tongue. What is the treatment?

- a SP-10 (xue hai), BL-17 (ge shu), SP-6 (san yin jiao)
- b SP-10 (xue hai), BL-17 (ge shu), SP-3 (tai bai)
- c SP-10 (xue hai), BL-17 (ge shu), SP-8 (di ji)
- d SP-10 (xue hai), BL-17 (ge shu), SP-1 (yin bai)

55. A patient has pain in heart region, cyanosis of lips, and purple tongue. What is the treatment?

- a HT-7 (shen men), PC-6 (nei guan), CV-14 (ju que), BL-17 (ge shu), BL-20 (pi shu)
- b HT-7 (shen men), PC-6 (nei guan), CV-4 (guan yuan), SP-6 (san yin jiao), KI-6 (zhao hai)
- c PC-6 (nei guan), PC-4 (xi men), CV-17 (shan zhong), HT-7 (shen men), SP-10 (xue hai)
- d HT-5 (tong li), PC-6 (nei guan), BL-15 (xin shu), GV-14 (da zhui), CV-6 (qi hai)

56. A patient has loose stools, cold limbs, and thin pulse. What is the treatment?

- a SP-6 (san yin jiao), SP-9 (yin ling quan), ST-25 (tian shu), BL-17 (ge shu), ST-37 (shang ju xu)
- b ST-25 (tian shu), CV-6 (qi hai), ST-36 (zu san li), ST-37 (shang ju xu), BL-20 (pi shu)
- c CV-4 (guan yuan), LI-11 (qu chi), ST-37 (shang ju xu), CV-12 (zhong wan), SP-6 (san yin jiao)
- d ST-25 (tian shu), CV-6 (qi hai), ST-36 (zu san li), BL-21 (wei shu)

57. A patient has edema in the ankles, pale and swollen tongue, and deep-weak pulse. What is the treatment?

- a CV-4 (guan yuan), KI-3 (tai xi), GV-4 (ming men), BL-23 (shen shu), GB-39 (xuan zhong)
- b KI-6 (zhao hai), KI-9 (zhu bin), CV-4 (guan yuan), KI-2 (ran gu), HT-5 (tong li)
- c GV-4 (ming men), BL-23 (shen shu), CV-9 (shui fen), KI-7 (fu liu), SP-9 (yin ling quan)
- d GV-4 (ming men), BL-23 (shen shu), CV-12 (zhong wan), ST-36 (zu san li), SP-6 (san yin jiao)

58. A patient has cough with white frothy-watery sputum. What is the treatment?

- a LU-9 (tai yuan), BL-43 (gao huang shu), CV-4 (guan yuan), KI-6 (zhao hai), LU-10 (yu ji)
- b LU-9 (tai yuan), KI-6 (zhao hai), CV-4 (guan yuan), SP-6 (san yin jiao), CV-12 (zhong wan)
- c CV-9 (shui fen), ST-40 (feng long), CV-17 (shang zhong), LU-5 (chi ze), BL-13 (fei shu)
- d LU-5 (chi ze), LU-10 (yu ji), LU-7 (lie que), CV-12 (zhong wan), ST-40 (feng long)

59. A patient has frequent, pale, and copious urination. What is the treatment?

- a KI-2 (ran gu), CV-3 (zhong ji), BL-39 (wei zhong), BL-28 (pang guang shu)
- b BL-23 (shen shu), GV-4 (ming men), BL-28 (pang guan shu), CV-3 (zhong ji)
- c BL-23 (shen shu), GV-4 (ming men), BL-28 (pang guan shu), CV-4 (guan yuan)
- d BL-32 (ci liao), BL-28 (pang guang shu), ST-36 (zu san li), SP-6 (san yin jiao)

60. A patient has loose and foul smelling stools, low-grade fever, and greasy yellow coating. What is the treatment?

- a SP-9 (yin ling quan), CV-9 (shui fen), CV-12 (zhong wan), ST-36 (zu san li), SP-3 (tai bai)
- b SP-6 (san yin jiao), SP-9 (yin ling quan), BL-22 (san jiao shu), BL-28 (pang guang shu), CV-3 (zhong ji)
- c SP-9 (yin ling quan), SP-6 (san yin jiao), GV-9 (zhi yang), LI-11 (qu chi), BL-20 (pi shu)
- d KI-3 (tai xi), BL-23 (shen shu), ST-25 (tian shu), ST-36 (zu san li), BL-20 (pi shu)

61. A patient has abdominal pain, tongue ulcers, and dark-scanty and painful urination. What is the treatment?

- a SP-6 (san yin jiao), SP-9 (yin ling quan), BL-22 (san jiao shu), CV-3 (zhong ji), BL-28 (pang guang shu)
- b ST-39 (xia ju xu), CV-6 (qi hai), ST-25 (tian shu), SP-6 (san yin jiao), CV-3 (zhong ji)
- c SI-2 (qian gu), SI-5 (yang gu), HT-5 (tong li), HT-8 (shao fu), ST-39 (xia ju xu)
- d CV-6 (qi hai), SP-9 (yin ling quan), ST-27 (da ju), ST-39 (xia ju xu), SP-6 (san yin jiao)

62. A patient has sudden epigastric pain, vomiting, cold feelings, and deep and tight pulse. What is the treatment?

- a ST-21 (liang men), SP-4 (gong sun), CV-13 (shang wan), ST-34 (liang qiu)
- b ST-36 (zu san li), CV-12 (zhong wan), BL-21 (wei shu), CV-6 (qi hai)
- c CV-10 (xia wan), ST-21 (liang men), ST-34 (liang qiu), SP-10 (xue hai), BL-17 (ge shu)
- d LR-14 (qi men), ST-36 (zu san li), CV-13 (shang wan), BL-21 (wei shu), GB-34 (yang ling quan)

63. A patient has a bearing down sensation, prolapsed stomach, and weak pulse. What is the treatment?

- a CV-6 (qi hai), GV-20 (bai hui), GV-14 (da zhui)
- b CV-6 (qi hai), GV-20 (bai hui), ST-21 (liang men)
- c CV-6 (qi hai), GV-20 (bai hui), CV-12 (zhong wan)
- d CV-6 (qi hai), GV-20 (bai hui), GV-1 (cheng jiang)

64. A patient has fever, aversion to cold, sore throat, and floating-fast pulse. What is the treatment?

- a KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), BL-43 (gao huang shu), LU-1 (zhong fu)
- b LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), GV-12 (shen zhu)
- c LU-7 (lie que), BL-12 (feng men), GV-16 (feng fu)
- d LI-4 (he gu), LI-11 (qu chi), GV-14 (da zhui), GB-20 (feng chi), LU-11 (shao shang)

65. A patient has mental confusion, rattling sound in throat and greasy-slippery tongue coating. What is the treatment?

- a PC-5 (jian shi), PC-6 (nei guan), BL-15 (xin shu), CV-6 (qi hai), ST-40 (feng long)
- b PC-5 (jian shi), BL-15 (xin shu), ST-40 (feng long), BL-23 (shen shu), KI-3 (tai xi)
- c PC-5 (jian shi), BL-15 (xin shu), ST-40 (feng long), CV-12 (zhong wan), HT-9 (shao chong)
- d PC-5 (jian shi), BL-15 (xin shu), SP-6 (san yin jiao), SP-9 (yin ling quan), CV-9 (shui fen)

66. A patient has blurred vision, scanty periods, dull and pale complexion, and pale tongue. What is the treatment?

- a LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)
- b LR-8 (qu quan), SP-10 (xue hai), SP-6 (san yin jiao), LR-3 (tai chong), GB-34 (yang ling quan)
- c LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)
- d BL-18 (gan shu), LR-8 (qu quan), BL-17 (ge shu), ST-36 (zu san li), SP-6 (san yin jiao)

67. A patient has sensations of oppression in the chest and epigastric area, feelings of heaviness in the head, and greasy white tongue coating. What is the treatment?

- a KI-3 (tai xi), BL-23 (shen shu), ST-25 (tian shu), ST-36 (zu san li), BL-21 (wei shu)

- b SP-9 (yin ling quan), SP-6 (san yin jiao), GV-9 (zhi yang), LI-11 (qu chi), BL-20 (pi shu)
- c SP-9 (yin ling quan), SP-6 (san yin jiao), CV-12 (zhong wan), SP-3 (tai bai), ST-8 (tou wei)
- d SP-9 (yin ling quan), CV-9 (shui fen), CV-12 (zhong wan), ST-36 (zu san li), SP-3 (tai bai)

68. A patient has fatigue in the morning, discomfort in the epigastrium, and empty pulse in the Stomach positions. What is the treatment?

- a LR-14 (qi men), ST-36 (zu san li), CV-13 (shang wan), BL-21 (wei shu), GB-34 (yang ling quan)
- b ST-36 (zu san li), CV-12 (zhong wan), BL-21 (wei shu), CV-6 (qi hai)
- c CV-10 (xia wan), ST-21 (liang men), ST-34 (liang qiu), SP-10 (xue hai), BL-17 (ge shu)
- d ST-21 (liang men), SP-4 (gong sun), CV-13 (shang wan), ST-34 (liang qiu)

69. A patient has aversion to cold, sneezing, and a floating pulse. What is the treatment?

- a KI-3 (tai xi), LU-7 (lie que), KI-6 (zhao hai), BL-43 (gao huang shu), LU-1 (zhong fu)
- b LI-4 (he gu), LI-11 (qu chi), GV-14 (da zhui), GB-20 (feng chi), LU-11 (shao shang)
- c LU-9 (tai yuan), ST-36 (zu san li), BL-13 (fei shu), CV-6 (qi hai), GV-12 (shen zhu)
- d LU-7 (lie que), BL-12 (feng men), GV-16 (feng fu)

70. A patient has shaking of the head, tremors, and pale tongue. What is the treatment?

- a LR-3 (tai chong), GB-20 (feng chi), GB-38 (yang fu), SP-6 (san yin jiao), KI-3 (tai xi)
- b LR-14 (qi men), GV-9 (zhi yang), LR-2 (xing jian), GB-34 (yang ling quan), GB-24 (ri yue)
- c LR-8 (qu quan), LR-3 (tai chong), GB-20 (feng chi), BL-17 (ge shu), BL-18 (gan shu)
- d LR-2 (xing jian), extra point shi xuan, SI-3 (hou xi), GV-20 (bai hui), GB-20 (feng chi)

71. A patient has loose stools, chilliness, edema, cold limbs, and fatigue. What is the treatment?

- a KI-3 (tai xi), BL-23 (shen shu), ST-25 (tian shu), ST-36 (zu san li), BL-21 (wei shu)
- b SP-9 (yin ling quan), CV-9 (shui fen), CV-12 (zhong wan), BL-22 (san jiao shu), SP-3 (tai bai)
- c SP-9 (yin ling quan), SP-6 (san yin jiao), GV-9 (zhi yang), LI-11 (qu chi), BL-20 (pi shu)
- d SP-9 (yin ling quan), SP-6 (san yin jiao), CV-12 (zhong wan), SP-3 (tai bai), ST-8 (tou wei)

72. A patient has constipation, abdominal pain, fever, thick-dry-yellow coating, and a big pulse. What is the treatment?

- a ST-25 (da chang shu), BL-23 (shen shu), KI-3 (tai xi), GV-4 (ming men), CV-6 (qi hai)
- b SP-6 (san yin jiao), SP-9 (yin ling quan), ST-25 (tian shu), BL-17 (ge shu), ST-37 (shang ju xu)
- c LI-11 (qu chi), LI-4 (he gu), ST-25 (tian shu), TB-6 (zhi gou), SP-6 (san yin jiao)
- d ST-25 (tian shu), ST-36 (zu san li), ST-37 (shang ju xu), ST-27 (da ju), LR-3 (tai chong)

73. A patient has chronic loose stools, chilliness, cold back sensations, and deep-weak-slow pulse. What is the treatment?

- a CV-4 (guan yuan), KI-3 (tai xi), GV-4 (ming men), BL-25 (da chang shu), GB-39 (xuan zhong)
- b GV-4 (ming men), BL-23 (shen shu), BL-21 (wei shu), ST-36 (zu san li), SP-6 (san yin jiao)
- c KI-3 (tai xi), BL-23 (shen shu), ST-25 (tian shu), ST-36 (zu san li), BL-20 (pi shu)
- d GV-4 (ming men), BL-23 (shen shu), CV-9 (shui fen), KI-7 (fu liu), SP-9 (yin ling quan)

Answers:

1. a- sp/lu qi def
2. b Kidney Yin Deficiency with Empty Fire Blazing
3. a Retention of Food in Stomach
4. a- extreme heat generating wind
5. c kd yang def, water overflowing

6. d Kidney and Liver Yin Deficiency
7. a phlegm fire harrassing the heart
8. b sp qi def
9. a lv invading sp
10. a heart qi def
11. d Heart Fire Blazing
12. b blood stasis in st
13. c kidney yang def w water overflowing
14. a damp phlegm obstrucing the lungs
15. b lu dryness
16. b lv invading st
17. a kd yin def
18. a LI damp heat
19. b invasion of lu by wind water
20. c stagnation of cold in liver channel
21. c SI qi pain
22. b ht & kd not communicating
23. d Liver Fire Insulting the Lungs
24. a- lv yang rising causing wind
25. a st fire
26. a kidneys fail to receive qi
27. d Gall Bladder Deficiency
28. b heart yin def
29. a
30. b stagnant liver qi
31. c large intestine collapse
32. d Small Intestine Qi Tied
33. a Large Intestine Heat
34. a Lung Yin Deficiency
35. c Heart Blood Deficiency
36. b Heart Yang Deficiency
37. c Kidney Qi Not Firm
38. a Gall Bladder Damp-Heat
39. a Kidney Yang Deficiency
40. c Stasis of Liver Blood
41. b Stomach Yin Deficiency
42. c Lung Qi Deficiency
43. d Dry Large Intestine
44. b Bladder Damp-Heat
45. b Spleen and Liver Blood Deficiency
46. b Liver Fire Blazing Upwards
47. b Stomach Deficient and Cold
48. b Dampness Obstructing Spleen with Stagnant Liver Qi
49. b Heart Yang Collapse
50. b Liver Yang Rising
51. d Cold Invading Large Intestine
52. a Phlegm-Heat Obstructing Lungs
53. b Damp-Heat in Liver and Gall Bladder
54. d Spleen Not Controlling Blood
55. c Heart Blood Stagnant
56. b Cold Large Intestine
57. c Kidney Yang Deficiency with Water Overflowing
58. c Phlegm-Fluids Obstructing Lungs
59. c Bladder Deficient and Cold
60. c Damp-Heat Invading Spleen
61. c Small Intestine Heat
62. a Cold Invading the Stomach
63. b Spleen Qi Sinking

64. d Wind-Heat Invading Lungs
65. c Phlegm Misting the Mind
66. d Deficient Liver Blood
67. c Damp-Cold Invading Spleen
68. b Stomach Qi Deficiency
69. d Wind-Cold Invading Lungs
70. c Deficient Liver Blood Causing Wind
71. b Spleen Yang Deficiency
72. c Heat Obstructing Large Intestine
73. c Kidney and Spleen Yang Deficiency